

System Name: Southwest Central
Case # 21-M-289
Date Filed: 7/7/21

Department Review of Modification
 (Short form Modification)

Requirement	Information Included	Staff Comment
Narrative	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	The purpose of this modification is to relocate the physical facility of the PSAP from the City of Palos Heights to the City of Palos Hills. The current approved plan for handling wireline, wireless, text 9-1-1 calls and dispatching functions will remain unchanged. The new facility will have 13 new dispatch consoles equipped with the latest Moducom CPE capable of receiving ANI/ALI with x, y, and z coordinates and approved State GIS data for mapping utilized through the new Central Square CAD. The PSAP will continue to provide logging recorders, backup UPS and generator power supplies and security for the PSAP. AT&T will also continue to be the 9-1-1 System provider.
Revised Agreements	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	No changes.
Revised Network Diagram	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Revised diagram provided. The one-time cost for installation for the network is estimated to be \$9,340 and the annual recurring cost will remain unchanged at approximately \$75,192.

Conclusions:

Southwest Central has filed a short form modification requesting to move the PSAP to a new location. This new location meets all the requirements of 83 Ill. Adm. Code Part 1325 for a PSAP. Additionally, the modification meets all the requirements under 83 Ill. Adm. Code Part 1325 as well.

Reviewed by: Marci Elliott

Date: 7/14/21